

# Audio connections Premium

- OFC (oxygen free copper) conductors that ensure low electrical resistance and a high transmission speed.
- OFC copper screens with 100% coverage against electromagnetic interference.
- PVC jackets of great resistance and flexibility and no memory effect.
- Golden pins in all the connectors for optimal conductivity and minimum loss.
- Each solder point is covered with heat shrink plastic to prevent signal crossovers.
- All the connections are made by personnel with long experience in the assembly of connections.
- They are checked one by one and pass all established quality controls.



## EK6307

XLR M / XLR H Digital (0,22 mm<sup>2</sup>)

Code	Length
EK630700SN	0,5 m
EK6307010S/EK6307010SN	1,0 m
EK6307015S/EK6307015SN	1,5 m
EK630703S/EK630703SN	3,0 m
EK630705S/EK630705SN	5,0 m
EK630710S/EK630710SN	10,0 m

Jacket Colour: Blue Night / Black



## EK6310

XLR M 5 pins / XLR H 5 pins Digital (3 cond.)

Code	Length
EK631003S	3,0 m
EK631005S	5,0 m
EK631010S	10,0 m
EK631015S	15,0 m
EK631020S	20,0 m



## EK6231

JACK 6,3 M stereo / XLR M Digital

Code	Length
EK623101S	1,5 m
EK623103S	3,0 m
EK623105S	5,0 m
EK623110S	10,0 m



## EK6304

XLR M / XLR H

Code	Length
EK630400S/EK630400NS	0,5 m
EK630401S/EK630401NS	1,0 m
EK6304015S/EK6304015NS	1,5 m
EK630402S/EK630402NS	2,0 m
EK630403S/EK630403NS	3,0 m
EK630405S/EK630405NS	5,0 m
EK630410S/EK630410NS	10,0 m
EK630415S/EK630415NS	15,0 m
EK630420S/EK630420NS	20,0 m
EK630430S/EK630430NS	30,0 m
EK630440S/EK630440NS	40,0 m
EK630450S/EK630450NS	50,0 m

Connector Colour: Black / Nickel Plated



## EK6104

JACK 6,3 M mono / XLR H

Code	Length
EK610400S	0,5 m
EK610401S	1,0 m
EK610402S	2,0 m
EK610403S	3,0 m
EK610405S	5,0 m
EK610410S	10,0 m
EK610415S	15,0 m
EK610420S	20,0 m
EK610430S	30,0 m
EK610440S	40,0 m
EK610450S	50,0 m



## EK6102

JACK 6,3 M mono / XLR M

Code	Length
EK610201S	1,0 m
EK610202S	2,0 m
EK610203S	3,0 m
EK610205S	5,0 m
EK610210S	10,0 m



## EK6210

JACK 6,3 M stereo / XLR H

Code	Length
EK621001S	1,0 m
EK621002S	2,0 m
EK621003S	3,0 m
EK621005S	5,0 m
EK621010S	10,0 m



## EK6203

JACK 6,3 M stereo / XLR M

Code	Length
EK620305S	5,0 m
EK620310S	10,0 m



## EK6202

JACK 6,3 M stereo / JACK 6,3 M stereo

Code	Length
EK620201S	1,0 m
EK620202S	2,0 m
EK620203S	3,0 m
EK620205S	5,0 m
EK620210S	10,0 m
EK620215S	15,0 m



## EK6205

XLR M / JACK 3,5 M stereo

Code	Length
EK620500S	0,5 m
EK620501S	1,0 m
EK620502S	2,0 m
EK620503S	3,0 m
EK620505S	5,0 m
EK620510S	10,0 m
EK620515S	15,0 m



## EK6208

2 JACKS 6,3 M mono / JACK 3,5 M stereo

Code	Length
EK620801S	1,5 m
EK620803S	3,0 m
EK620805S	5,0 m



## EK6201

XLR M not balanced / JACK 3,5 M stereo

Code	Length
EK620100S	0,5 m
EK620101S	1,0 m
EK620102S	2,0 m
EK620103S	3,0 m
EK620105S	5,0 m
EK620110S	10,0 m
EK620115S	15,0 m



## EK6206

2 XLR M / JACK 3,5 M stereo

Code	Length
EK620601S	1,5 m
EK620603S	3,0 m
EK620605S	5,0 m
EK620610S	10,0 m



## EK6106

JACK 6,3 M stereo / JACK 3,5 M stereo

Code	Length
EK610601S	1,0 m
EK610602S	2,0 m
EK610603S	3,0 m
EK610605S	5,0 m
EK610610S	10,0 m



## EK6216

2 XLR H / JACK 3,5 M stereo

Code	Length
EK621601S	1,5 m
EK621603S	3,0 m
EK621605S	5,0 m
EK621610S	10,0 m



## EK6705

JACK 3,5 M stereo / JACK 3,5 M stereo

Code	Length
EK670501S	1,5 m
EK670503S	3,0 m
EK670505S	5,0 m
EK670510S	10,0 m



## EK6424

XLR M / 2 XLR H

Code	Length
EK642422S	0,2 m



## EK6162

2 JACKS 6,3 M mono / JACK 6,3 M stereo

Code	Length
EK616201S	1,5 m
EK616203S	3,0 m
EK616205S	5,0 m
EK616210S	10,0 m
EK616215S	15,0 m
EK616220S	20,0 m



## EK6330

2 JACKS 6,3 M mono / 2 XLR M

Code	Length
EK633002S	2,0 m



## EK6101

JACK 6,3 M mono / JACK 6,3 M mono

Code	Length
EK610101S	1,0 m
EK6101015S	1,5 m
EK610102S	2,0 m
EK610103S	3,0 m
EK610105S	5,0 m
EK610110S	10,0 m
EK610115S	15,0 m
EK610120S	20,0 m



## EK6108

JACK 6,3 M mono angled / JACK 6,3 M mono

Code	Length
EK610803S	3,0 m
EK610805S	5,0 m
EK610810S	10,0 m



## EK6125

2 RCA M / 2 JACKS 6,3 M mono

Code	Length
EK612501S	1,0 m
EK612503S	3,0 m
EK612505S	5,0 m
EK612510S	10,0 m



## EK6425

2 RCA M / 2 XLR H

Code	Length
EK642501S	1,0 m
EK642502S	2,0 m
EK642503S	3,0 m
EK642505S	5,0 m



## EK6325

2 RCA M / 2 XLR M

Code	Length
EK632501S	1,0 m
EK632502S	2,0 m
EK632503S	3,0 m
EK632505S	5,0 m



## EK5545

2 RCA M / 2 RCA M

Code	Length
EK554500S	1,5 m
EK554502S	2,0 m
EK554503S	3,0 m
EK554505S	5,0 m
EK554510S	10,0 m
EK554515S	15,0 m
EK554520S	20,0 m



## EK6505

2 RCA M / JACK 6,3 M stereo

Code	Length
EK650500S	1,5 m
EK650503S	3,0 m
EK650505S	5,0 m
EK650510S	10,0 m



## EK6605

2 RCA M / JACK 3,5 M stereo

Code	Length
EK660500S	1,0 m
EK660503S	3,0 m
EK660505S	5,0 m
EK660510S	10,0 m

