

Professional Cable Reel



EVR-230

Overall dimension:
235 x 310 x 195 mm



EVR-250

Overall dimension:
255 x 360 x 200 mm



EVR-285

Overall dimension:
285 x 380 x 190 mm



EVR-310

Overall dimension:
310 x 380 x 230 mm



EVR-380

Overall dimension:
400 x 380 x 200 mm
Extra plates 1 / 2 / 4 / 8 / 12 / 16 ch.



EVR-380L

Overall dimension:
480 x 525 x 360 mm
Extra plates 1 / 2 / 4 / 8 / 12 / 16 / 24 ch.



EVR-470

Overall dimension:
560 x 620 x 400 mm
Extra plates 1 / 2 / 4 / 8 / 12 / 16 / 24 ch.



EVR-490


Overall dimension:
490 x 690 x 370 mm



EVR-530

Overall dimension:
630 x 710 x 400 mm
Extra plates 1 / 2 / 4 / 8 / 24 ch.

Extra plates



Professional Cable Reel EVR-230



- Super Robust
- Super Light
- Solid steel structure
- High impact resistance
- Designed for intensive and mobile uses
- Soft and ergonomic handle for comfortable transport
- Adequate inner diameter for an optimal radius of curvature of the cables
- Front part with cable guide
- Front handle for easy winding
- Locking piece at the bottom rear

Technical specifications

- Outer diameter: 230 mm
- Inside diameter: 120 mm
- Width: 87 mm
- Overall dimension: 235 x 310 x 195 mm
- Distance between supports: 235 mm
- Overall height: 310 mm
- Weight: 1 kg

Maximum capacity according to Ø cables

- Ø 4,50 mm - 120 m
- Ø 6,00 mm - 65 m
- Ø 6,30 mm - 60 m
- Ø 6,50 mm - 55 m
- Ø 7,00 mm - 50 m
- Ø 9,00 mm - 30 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Cable exit



Lock piece

Professional Cable Reel EVR-250



- Super Robust
- Super Light
- Solid steel structure
- High impact resistance
- Designed for intensive and mobile uses
- Soft and ergonomic handle for comfortable transport
- Adequate inner diameter for an optimal radius of curvature of the cables
- Front part with cable guide
- Front handle for easy winding
- Locking piece at the bottom rear

Technical specifications

- Outer diameter: 255 mm
- Inside diameter: 125 mm
- Width: 135mm
- Overall dimension: 255 x 360 x 200 mm
- Distance between supports: 250 mm
- Overall height: 360 mm
- Weight: 1 kg

Maximum capacity according to Ø cables

- Ø 4,50 mm - 200 m
- Ø 6,00 mm - 120 m
- Ø 6,30 mm - 110 m
- Ø 6,50 mm - 100 m
- Ø 7,00 mm - 90 m
- Ø 9,00 mm - 50 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Cable exit



Lock piece

Professional Cable Reel EVR-285



- Super Robust
- Super Light
- Solid steel structure
- High impact resistance
- Designed for intensive and mobile uses
- Soft and ergonomic handle for comfortable transport
- Adequate inner diameter for an optimal radius of curvature of the cables
- Front part with cable guide
- Front handle for easy winding
- Locking piece at the bottom rear

Technical specifications

- Outer diameter: 285 mm
- Inside diameter: 120 mm
- Width: 87 mm
- Overall dimension: 285 x 380 x 190 mm
- Distance between supports: 280 mm
- Overall height: 380 mm
- Weight: 1,2 kg

Maximum capacity according to Ø cables

- Ø 4,50 mm - 200 m
- Ø 6,00 mm - 120 m
- Ø 6,30 mm - 105 m
- Ø 6,50 mm - 100 m
- Ø 7,00 mm - 85 m
- Ø 9,00 mm - 50 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Cable exit



Lock piece

Professional Cable Reel EVR-310



- Super Robust
- Super Light
- High impact resistance
- Designed for intensive and mobile uses
- Soft and ergonomic handle for comfortable transport
- Adequate inner diameter for an optimal radius of curvature of the cables
- Internal cable fixing
- Front part with cable guide
- Front handle for easy winding
- Locking wheel on the back
- Center plate option with holes adapted for chassis

Technical specifications

- Outer diameter: 310 mm
- Inner diameter: 170 mm
- Width: 155 mm
- Overall dimension: 310 x 380 x 230 mm
- Distance between supports: 295 mm
- Overall height: 380 mm
- Weight: 1.60 Kg

Maximum capacity according to Ø cables

- Ø 4,50 mm - 280 m
- Ø 6,00 mm - 160 m
- Ø 6,30 mm - 150 m
- Ø 6,50 mm - 140 m
- Ø 7,00 mm - 120 m
- Ø 9,00 mm - 70 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Internal cable fixing




Locking wheel

Professional Cable Reel EVR-380



- Super Robust
- Made entirely of metal
- High resistance to impacts
- Designed for intensive and mobile uses
- Soft and ergonomic handle for a comfortable transport
- Adequate inner diameter for optimum bending radius of cables
- Internal cable fixing
- Front with cable guide
- Front crank for easy winding
- Locking piece on the back
- Center plate option with space for 1 / 2 / 4 / 8 / 12 / 16 channels



Technical specifications

- Outside diameter: 380 mm
- Inner diameter: 213 mm
- Width: 170 mm
- Overall dimension: 400 x 380 x 200 mm
- Distance between supports: 300 mm
- Total height: 400 mm
- Weight: 7 kg

Maximum capacity according to Ø cables


- Ø 8,00 mm - 190 m
- Ø 10,00 mm - 120 m
- Ø 12,00 mm - 85 m
- Ø 14,00 mm - 60 m
- Ø 16,00 mm - 45 m
- Ø 18,00 mm - 35 m
- Ø 20,00 mm - 30 m
- Ø 22,00 mm - 25 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Internal cable fixing




Locking wheel

Professional Cable Reel EVR-380L



- Super Robust
- Made entirely of metal
- High resistance to impacts
- Designed for intensive and mobile uses
- Lightweight and easy to handle thanks to the included wheels for easy movement
- Adequate inner diameter for optimum bending radius of cables
- Internal cable fixing
- Front crank for easy winding
- Locking piece on the back
- Center plate option with space for 1 / 2 / 4 / 8 / 12 / 16 / 24 channels



Technical specifications

- Outside diameter: 380 mm
- Inner diameter: 213 mm
- Width: 250 mm
- Overall dimension: 480 x 525 x 360 mm
- Distance between supports: 380 mm
- Total height: 480 mm
- Weight: 16,5 kg

Maximum capacity according to Ø cables

- Ø 8,00 mm – 280 m
- Ø 10,00 mm – 180 m
- Ø 12,00 mm – 120 m
- Ø 14,00 mm – 90 m
- Ø 16,00 mm – 70 m
- Ø 18,00 mm – 55 m
- Ø 20,00 mm – 45 m
- Ø 22,00 mm – 35 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Internal cable fixing




Locking wheel

Professional Cable Reel EVR-470



- Super Robust
- Made entirely of metal
- High resistance to impacts
- Designed for intensive and mobile uses
- Lightweight and easy to handle thanks to the included wheels for easy movement
- Adequate inner diameter for optimum bending radius of cables
- Internal cable fixing
- Front crank for easy winding
- Locking piece on the back
- Center plate option with space for 1 / 2 / 4 / 8 / 12 / 16 / 24 channels



Center plates option
1 / 2 / 4 / 8 / 12 / 16 / 24 channels

Technical specifications

- Outside diameter: 470 mm
- Inner diameter: 260 mm
- Width: 330 mm
- Overall dimension: 560 x 620 x 400 mm
- Distance between supports: 470 mm
- Total height: 560 mm
- Weight: 20,9 kg

Maximum capacity according to Ø cables

- Ø 8,00 mm – 580 m
- Ø 10,00 mm – 370 m
- Ø 12,00 mm – 260 m
- Ø 14,00 mm – 190 m
- Ø 16,00 mm – 140 m
- Ø 18,00 mm – 110 m
- Ø 20,00 mm – 90 m
- Ø 22,00 mm – 75 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Internal cable fixing



Locking wheel

Professional Cable Reel EVR-490



- Super Robust
- High impact resistance
- Designed for intensive and mobile uses
- Very light and easy to handle thanks to the included wheels that facilitate its movement
- Extendable metal handle to facilitate transport and storage
- Adequate inner diameter for an optimal radius of curvature of the cables
- Front part with cable guide
- Front handle for easy winding
- Locking piece at the back
- Includes suitable central plate to be adapted

Technical specifications

- Outer diameter: 490 mm
- Inner diameter: 200 mm
- Width: 250 mm
- Overall dimension: 490 x 690 x 370 mm
- Distance between supports: 380 mm
- Overall height: 690 mm
- Total height with extended handle: 910 mm
- Weight: 6 kg

Maximum capacity according to Ø cables

- Ø 8,00 mm - 500 m
- Ø 10,00 mm - 300 m
- Ø 12,00 mm - 200 m
- Ø 14,00 mm - 140 m
- Ø 16,00 mm - 100 m
- Ø 18,00 mm - 80 m
- Ø 20,00 mm - 65 m
- Ø 22,00 mm - 50 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ Electric cable Industrial
- ✓ Control Cable



Cable entry



Internal cable fixing




Locking wheel

Professional Cable Reel EVR-530



- Super Robust
- Made entirely of metal
- High resistance to impacts
- Designed for intensive and mobile uses
- Lightweight and easy to handle thanks to the included wheels for easy movement
- Adequate inner diameter for optimum bending radius of cables
- Internal cable fixing
- Front crank for easy winding
- Locking piece on the back
- Center plate option with space for 1 / 2 / 4 / 8 / 24 channels



EVPR 530/1 EVRP 530/2 EVRP 530/4

EVPR 530/8 EVRP 530/24

Center plates option
1 / 2 / 4 / 8 / 24 channels

Technical specifications

- Outside diameter: 530 mm
- Inner diameter: 270 mm
- Width: 290 mm
- Overall dimension: 630 x 710 x 400 mm
- Distance between supports: 530 mm
- Total height: 630 mm
- Weight: 21,9 kg

Maximum capacity according to Ø cables

- Ø 8,00 mm – 700 m
- Ø 10,00 mm – 440 m
- Ø 12,00 mm – 310 m
- Ø 14,00 mm – 220 m
- Ø 16,00 mm – 170 m
- Ø 18,00 mm – 130 m
- Ø 20,00 mm – 110 m
- Ø 22,00 mm – 90 m

High Performance Multipurpose Cable Reel

- ✓ Audio and Video Cables
- ✓ LAN and Data Cables
- ✓ HDMI cable
- ✓ Fiber optic cable
- ✓ Electric cable
- ✓ Industrial Control Cable



Cable entry



Internal cable fixing



Locking wheel